



Safety Data Sheet
CBC 6 Slow Set, A
Component
06/15/2022

1. Product and Company Identification

Product Name: CBC 6 Slow Set, A Component Identification:

Pilgrim Permocoat, Inc..
402 S 22nd Street
Tampa, FL 33605
Contact Phone: .800-637-3328

Emergency Phone:
Chemtrec: 800 262 8200
(24hrs)

2. Hazards Identification (Part A)

GHS Classification

Health	Physical	Environmental
Skin Sensitizer - Cat. 1B Skin Irritant - Cat. 2 Eye Irritant - Cat. 2	Not Classified	Toxic to Aquatic Life Cat-2

GHS Label:

Warning:



Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation



Toxic to aquatic life with long lasting effects

Precautionary Statement:

Avoid contact with the skin and eyes
Avoid prolonged and/or repeated contact with skin
Wear protective clothing
Use with adequate ventilation

Primary Route of Exposure

Eyes, skin and inhalation

Other hazards

No data available



Safety Data Sheet
CBC 6 Slow Set,
A Component
Created On: 06/15/2022

3. Composition/ Information on Ingredients (Part A)

<u>CAS Number</u>	<u>Content %</u>	<u>Chemical Name</u>
25085-99-8	40 – 70	Diglycidyl Ether of Bisphenol A
Proprietary	30 – 50	Non-Hazardous Proprietary Ingredients

4. First Aid Measures (Part A)

Inhalation: Move to fresh air; give oxygen if breathing is difficult. Call a physician if symptoms persist.
Eyes: Immediately flush eyes with plenty of water for at least 15 minutes. Call a physician if symptoms persist.
Skin: Remove contaminated clothing. Wash with mild soap and water. Get medical attention if skin irritation or dermatitis persists.
Ingestion: Give plenty of water. DO NOT induce vomiting. Call a physician immediately.
Other: Referral to a physician is recommended if there is any question about the seriousness of the injury/exposure. If sensitization occurs, future contact with the material should be avoided.

5. Fire Fighting Measures (Part A)

Flash Point: >148°C (300°F)
Flammability: Non- Flammable

Extinguisher Media

Carbon Dioxide, Dry Chemical, Water Fog

Unusual Fire and Explosion Hazard

None Known

Special Fire Fighting Procedures

Firefighters must wear self-contained breathing apparatus and full protective clothing to prevent contact with toxic and/or irritating fumes.

6. Accidental Release Measures (Part A)

Personal Precautions:

Avoid all personal contact. In enclosed areas, cleanup personnel should wear self-contained breathing apparatus.

Environmental Precautions

Avoid all personal contact, scoop up with spade and place in disposable metal container.



Safety Data Sheet
CBC 6 Slow Set,
A Component
Created On: 06/15/2022

7. Handling and Storage (Part A)

Store in a cool dry place out of direct rays of the sun. Keep from freezing. Recommended storage temperatures range in between 4° and 35° C (40°F and 95° F).

8. Exposure Control and Personal Protection (Part A)

Exposure Guidelines

Exposure limits are listed below, if they exist.

None established

Engineering Measures: Use local and general exhaust ventilation to maintain airborne concentrations below TLV. Suitable respiratory equipment should be used in cases of insufficient ventilation or where operational procedures demand it.

Personal Protective Equipment

Respiratory Protection

None normally required. Use a NIOSH – approved organic vapor chemical cartridge Respirator when air movement is inadequate to control vapor build-up.

Eye/Face Protection

Wear splash proof chemical goggles/ full face shield if there is a potential for splashing.

Skin / Body Protection

Wear Suitable gloves (neoprene, nitrile rubber or PVC).

Other Protective Clothing or Equipment

Wear appropriate apparel to prevent skin contact.

9. Physical and Chemical Properties (Part A)

Appearance:	Gray Paste
Evaporation Rate:	Non-volatile
Odor:	Slight Odor
Water Solubility:	Insoluble
Specific Gravity (H2O=1):	1.58
Vapor Density (Air=1):	Non-volatile
Vapor Pressure:	N/A
VOC Content:	0 g/l
pH:	N/D
Boiling Point:	N/A



Safety Data Sheet
CBC 6 Slow Set,
A Component
Created On: 06/15/2022

10. Stability and Reactivity (Part A)

Stability:	Stable.
Hazardous Reactions:	Non-hazardous when stored and handled according to instructions.
Thermal Decomposition:	Stable under normal conditions.
Incompatibility:	Strong acids, peroxides and other oxidizing agents.
Conditions to avoid:	Exposure to excessive heat and storage above 35°C (95°F) will shorten shelf life.

11. Toxicological Information (Part A)

Acute Oral Toxicity:

Not Determined

Acute Dermal Toxicity:

Not Determined

Acute Inhalation Toxicity:

Not Determined

Skin Irritation:

Irritant

The product has not been tested. The statement has been derived from the properties of the individual components.

Eye Irritation:

Irritant

The product has not been tested. The statement has been derived from the properties of the individual components.

Respiratory Irritation:

Inhalation of vapors or mists may cause irritation to the respiratory system.

Sensitization:

May cause allergic skin reaction and irritation to the respiratory system.

The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity



Safety Data Sheet
CBC 6 Slow Set,
A Component
Created On: 06/15/2022

12. Ecological Information (Part A)

Acute Toxicity for:

Fish:

Diglycidyl Ether of Bisphenol A:
Fathead minnow/LC50 (96hrs): >3.1mg/l

Aquatic Invertebrates:

Diglycidyl Ether of Bisphenol A:
Water Flea Daphnis/EC 50 (48hrs): > 1.4mg/l

Algae:

No Data Available

Microorganisms:

Diglycidyl Ether of Bisphenol A:
Bacteria, (Growth inhibition)/IC50 (18hrs): > 42.6mg/l

Mobility:

Considering the use of the substance, it is unlikely that significant environmental exposure in the air or water will arise.

13. Disposal Considerations (Part A)

If the material as supplied becomes a waste, dispose in accordance with federal, state and local regulations.

14. Transportation Information (Part A)

This product is not regulated as a hazardous material for transportation.

15. Regulatory Information (Part A)

HMIS Rating	
Health	1
Flammability	1
Physical Hazard	0
PPE	B

NFPA Rating



Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

Federal Regulations:

SARA Title 313

Chronic Health Hazard



Safety Data Sheet
CBC 6 Slow Set,
A Component
Created On: 06/15/2022

CA Prop 65

This product does not contain chemical or chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

TSCA

Listed

State Regulations:

State RTK
NJ, MA, PA

To the best of our knowledge this product does not contain chemicals at levels which require reporting under these statutes.

16. Other Information (Part A)

Hazard Communication: This SDS has been prepared in accordance with the federal OSHA Hazard Communication Standard.

To the best of our knowledge, the information contained herein is accurate. However, Pilgrim Permocoat, Inc. does not assume any liability whatsoever to the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Safety Data Sheet

Effective date: 4/8/2022

CBC 6 Segmental Epoxy 'Slow-Set' 40°F-75°F , B Component

1 Identification of the substance/mixture and of the company/undertaking



1.1 Product identifier

Material Name: CBC 6 Segmental Epoxy 'Slow-Set' 40°F-75°F , B Component

1.2 Relevant identified uses of the substance or mixture and uses advised against: Curing agents

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Pilgrim Permocoat, Inc.
402 S 22nd Street
Tampa, Florida 33605
813-248-3328

Emergency telephone number:

Chemtrec
800.262.8200

2 Hazards identification

2.1 Classification of the substance or mixture:

In compliance with EC regulation No. 1272/2008, 29CFR1910/1200 and GHS Rev. 3 and amendments.

Skin corrosion, category 1B.
Serious eye damage, category 1.
Skin sensitization, category 1.
Chronic aquatic hazard, category 2.

Hazard-determining components of labeling:

1,2-Ethanediamine, N1-(2-aminoethyl)-N2-[2-[(2-aminoethyl) amino] ethyl]-
Triethylenetetramine
Fatty acids, tall-oil, reaction products with tetraethylenepentamine

2.2 Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H411 Toxic to aquatic life with long lasting effects.

Safety Data Sheet

Effective date: 4/8/2022

CBC 6 Segmental Epoxy 'Slow-Set' 40°F-75°F, B Component

Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
 P264 Wash skin thoroughly after handling.
 P271 Use only outdoors or in a well-ventilated area.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P301+P330+P331+P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.
 P302+P352 If on skin: Wash with soap and water.
 P303+P361+P353+P310 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.
 P304+P340+P310 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
 P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
 P321 Specific treatment (see supplemental first aid instructions on this label).
 P333+P313 If skin irritation or a rash occurs: Get medical advice/attention.
 P363 Wash contaminated clothing before reuse.
 P391 Collect spillage.
 P403+P233 Store in a well ventilated place. Keep container tightly closed.
 P405 Store locked up.
 P501 Dispose of contents and container as instructed in Section 13.

2.3 Other hazards: None known

Information concerning particular hazards for humans and environment:

The product has to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to EC regulation No. 1272/2008, 29CFR1910/1200 and GHS Rev. 3 and amendments, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

3 Composition/information on ingredients

3.1 Chemical characterization: Mixture.

3.2 Description: None

3.3 Hazardous components (percentages by weight)

Identification	Name	Classification	Wt. %
CAS number: 112-57-2	1,2-Ethanediamine, N1-(2-aminoethyl)-N2-[2-[(2-aminoethyl) amino] ethyl]-	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Sens. 1; H317 Skin Corr. 1B; H314 Aquatic Chronic 2; H411	<10

Safety Data Sheet

Effective date: 4/8/2022

CBC 6 Segmental Epoxy 'Slow-Set' 40°F-75°F, B Component

CAS number: 112-24-3	Triethylenetetramine	Acute Tox. 4; H312 Skin Sens. 1; H317 Skin Corr. 1B; H314 Aquatic Chronic 3; H412	<0.5
CAS number: 68953-36-6	Fatty acids, tall-oil, reaction products with tetraethylenepentamine	Skin Sens. 1; H317 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Chronic 2; H411	90-97

3.4 Additional information: None.

4 First aid measures

4.1 Description of first aid measures

General information:

First responders should wear gloves and other self-protection when performing treatment.

After inhalation:

Immediately call a POISON CONTROL CENTER or seek medical attention.

Take precautions to ensure your own safety.

Remove source of exposure or move person to fresh air and keep comfortable for breathing.

If breathing has stopped, trained personnel should begin rescue breathing.

Avoid mouth-to-mouth contact by using a barrier device.

If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR).

After skin contact:

Immediately call a POISON CONTROL CENTER or seek medical attention.

Avoid direct contact and wear chemical protective clothing, if necessary.

Immediately take off all contaminated clothing.

Wash with plenty of water / soap and rinse thoroughly until medical aid is available.

Gently blot or brush away excess product.

Wash contaminated clothing before re-use or discard.

After eye contact:

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CONTROL CENTER or seek medical attention.

After swallowing:

Immediately call a POISON CONTROL CENTER or seek medical attention.

Rinse mouth and do not induce vomiting.

If breathing has stopped, trained personnel should begin rescue breathing.

Avoid mouth-to-mouth contact by using supplied air / barrier device.

If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR).

4.2 Most important symptoms and effects, both acute and delayed:

None

4.3 Indication of any immediate medical attention and special treatment needed:

No additional information.

5 Firefighting measures

5.1 Extinguishing media

Safety Data Sheet

Effective date: 4/8/2022

CBC 6 Segmental Epoxy 'Slow-Set' 40°F-75°F , B Component

Suitable extinguishing media:

Use Water (fog only), dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

Unsuitable extinguishing media:

Do not use water stream, as this may spread fire.

5.2 Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

5.3 Advice for firefighters**Protective equipment:**

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit.

5.4 Additional information: None

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear recommended personal protective equipment.

Ensure adequate ventilation.

Ensure air handling systems are operational.

6.2 Environmental precautions:

Should not be released into the environment.

Prevent from reaching drains, sewer or waterway.

6.3 Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing.

Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders).

Dispose of contents / container in accordance with local regulations.

6.4 Reference to other sections: None

7 Handling and storage

7.1 Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8).

Use only with adequate ventilation.

Avoid breathing mist or vapor.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Wash thoroughly after handling.

Do not get in eyes, on skin, or on clothing.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a cool, well-ventilated area.

Protect from freezing and physical damage.

Keep container tightly sealed.

Hold bulk storage under a nitrogen blanket.

7.3 Specific end use(s): No additional information.

Safety Data Sheet

Effective date: 4/8/2022

CBC 6 Segmental Epoxy 'Slow-Set' 40°F-75°F , B Component

8 Exposure controls/personal protection

8.1 Control parameters:

112-57-2, 1,2-Ethanediamine, N1-(2-aminoethyl)-N2-[2-[(2-aminoethyl) amino] ethyl]-, WEEL TWA 5.0 mg/m3.

112-24-3, Triethylenetetramine, WEEL TWA 1.0 ppm.

8.2 Exposure controls

Appropriate engineering controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Respiratory protection:

Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines.

If there are no applicable exposure limit requirements or guidelines, use a NIOSH-approved respirator.

Protection of skin:

Select glove material impermeable and resistant to the substance.

Suitable gloves can be recommended by supplier.

Eye protection:

Wear chemical splash goggles and face shield when eye and face contact is possible due to splashing or spraying of material.

General hygienic measures:

Wash hands before breaks and at the end of work.

Avoid contact with skin, eyes and clothing.

Wash contaminated clothing before reusing.

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance (physical state, color):	Fluid	Explosion limit lower: Explosion limit upper:	Not determined or not available. Not determined or not available.
Odor:	Characteristic	Vapor pressure:	Not determined or not available.
Odor threshold:	Not determined or not available.	Vapor density:	Not determined or not available.
pH-value:	>7.0	Relative density:	Not determined or not available.
Melting/Freezing point:	Not determined or not available.	Solubilities:	Fully miscible.
Boiling point/range:	204°C (399 °F)	Partition coefficient (n-octanol/water):	Not determined or not available.
Flash point (closed cup):	>94°C (>200 °F)	Auto/Self-ignition temperature:	Not determined or not available.

Safety Data Sheet

Effective date: 4/8/2022

CBC 6 Segmental Epoxy 'Slow-Set' 40°F-75°F , B Component

Evaporation rate:	Not determined or not available.	Decomposition temperature:	Not determined or not available.
Flammability (solid, gaseous):	Not determined or not available.	Dynamic viscosity:	Not determined or not available.
Density:	1.24 g/cm ³	Kinematic viscosity:	Not determined or not available.

10 Stability and reactivity

10.1 Reactivity: Does not react under normal conditions of use and storage.

10.2 Chemical stability: Stable under normal conditions of use and storage.

10.3 Possibility of hazardous reactions: None under normal conditions of use and storage.

10.4 Conditions to avoid: None known.

10.5 Incompatible materials:

Strong oxidizing agents.

Strong acids. Peroxides and other radical forming substances.

10.6 Hazardous decomposition products:

Nitrogen oxides.

Carbon monoxide. Carbon Dioxide.

11 Toxicological information

11.1 Information on toxicological effects:

Routes of exposure: No information available.

Acute toxicity: No additional information.

Skin corrosion/irritation:

1,2-Ethanediamine, N1-(2-aminoethyl)-N2-[2-[(2-aminoethyl) amino] ethyl]-: Corrosive to the skin.

Triethylenetetramine: Corrosive to the skin.

Fatty acids, tall-oil, reaction products with tetraethylenepentamine: Corrosive to the skin.

Serious eye damage/irritation:

Fatty acids, tall-oil, reaction products with tetraethylenepentamine: Corrosive effect on the eyes.

Respiratory or skin sensitization:

1,2-Ethanediamine, N1-(2-aminoethyl)-N2-[2-[(2-aminoethyl) amino] ethyl]-: Sensitization possible through skin contact.

Triethylenetetramine: Sensitization possible through skin contact.

Fatty acids, tall-oil, reaction products with tetraethylenepentamine: Sensitization possible through skin contact.

Carcinogenicity:

IARC (International Agency for Research on Cancer): None of the ingredients are listed.

NTP (National Toxicology Program): None of the ingredients are listed.

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 4/8/2017

CBC 6 Segmental Epoxy 'Slow-Set' 40°F-75°F , B Component

Germ cell mutagenicity: No additional information.

Reproductive Toxicity: No additional information.

STOT-single and repeated exposure: No additional information.

Aspiration toxicity: No information available.

Additional toxicological information:

No additional information.

12 Ecological information

12.1 Toxicity:

Triethylenetetramine: Aquatic invertebrates, LC50 - Daphnia magna (Water flea) - 33.9 mg/L - 48 h.

12.2 Persistence and degradability:

No additional information.

12.3 Bioaccumulative potential:

No additional information.

12.4 Mobility in soil:

No additional information.

General notes:

No additional information.

12.5 Results of PBT and vPvB assessment:

PBT: No additional information.

vPvB: No additional information.

12.6 Other adverse effects:

No additional information.

13 Disposal considerations

13.1 Waste treatment methods

Relevant information:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory agencies.

14 Transport information

Land transport:


DOT (49 CFR) transport

14.1 UN Number:	UN2735
14.2 UN Proper shipping name:	UN2735, Amines, Liquid, Corrosive N.O.S. (Fatty acids tall-oil reaction products with tetraethylenepentamine, tetraethylenepentamine),


Safety Data Sheet

Effective date: 4/8/2022

CBC 6 Segmental Epoxy 'Slow-Set' 40°F-75°F , B Component

	8, III
14.3 UN Transport hazard classes:	8
14.4 Packing group:	III
Danger label:	8 Corrosive substances 
14.5 Environmental hazards:	No
14.6 Special precautions for user:	
None	
Limited quantity:	
5L	

ADR/RID

14.1 UN Number:	UN2735
14.2 UN Proper shipping name:	UN2735, Amines, Liquid, Corrosive N.O.S. (Fatty acids tall-oil reaction products with tetraethylenepentamine, tetraethylenepentamine), 8, III
14.3 UN Transport hazard classes:	8
14.4 Packing group:	III
Danger label:	8 Corrosive substances 
Tunnel restriction code:	E
Transport category:	3
Hazard ID number:	80
14.5 Environmental hazards:	No
14.6 Special precautions for user:	
None	
Limited quantity:	
5L	
Quantity exception:	
30mL inner pckg; 1L outer pckg	


Air transport:**IATA-DGR**

14.1 UN Number:	UN2735
14.2 UN Proper shipping name:	UN2735, Amines, Liquid, Corrosive N.O.S. (Fatty acids tall-oil reaction products with tetraethylenepentamine, tetraethylenepentamine),


Safety Data Sheet

Effective date: 4/8/2022

CBC 6 Segmental Epoxy 'Slow-Set' 40°F-75°F , B Component

	8, III
14.3 UN Transport hazard classes:	8
14.4 Packing group:	III
Danger label:	8 Corrosive substances 
14.5 Environmental hazards:	No
14.6 Special precautions for user:	
None	
Limited quantity:	
1L	
Quantity exception:	
30mL inner pckg; 1L outer pckg	

Sea transport:**IMDG**

14.1 UN Number:	UN2735
14.2 UN Proper shipping name:	UN2735, Amines, Liquid, Corrosive N.O.S. (Fatty acids tall-oil reaction products with tetraethylenepentamine, tetraethylenepentamine), 8, III
14.3 UN Transport hazard classes:	8
14.4 Packing group:	III
Danger label:	8 Corrosive substances 
EMS code:	F-A, S-B
14.5 Environmental hazards:	No
14.6 Special precautions for user:	
None	
Limited quantity:	
5L	
Quantity exception:	
30mL inner pckg; 1L outer pckg	
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.**North American**

Safety Data Sheet

Effective date: 4/8/2022

CBC 6 Segmental Epoxy 'Slow-Set' 40°F-75°F , B Component

SARA Section 311/312 (Specific toxic chemical listings):

Acute

SARA Section 302 (Extremely hazardous substances): None of the ingredients are listed.

SARA Section 313 (Specific toxic chemical listings): None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

TSCA Rules and Orders: Not applicable.

Proposition 65 (California):

Chemicals known to cause cancer: None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed.

Chemicals known to cause developmental toxicity: None of the ingredients are listed.

Canada**Canadian Domestic Substances List (DSL):**

All ingredients are listed.

European Union

REACH Article 57 (SVHC): None of the ingredients are listed.

Germany MAK: Not classified.

Australia**Australian Inventory of Chemical Substances (AICS):**

All ingredients are listed.

China**Inventory of Existing Chemical Substances in China (IECSC):**

All ingredients are listed.

Japan**Inventory of Existing and New Chemical Substances (ENCS):**

One or more ingredients are not listed.

Korea**Existing Chemicals List (ECL):**

All ingredients are listed.

New Zealand**New Zealand Inventory of Chemicals (NZOIC):**

All ingredients are listed.

Philippines**Philippine Inventory of Chemicals and Chemical Substances (PICCS):**

All ingredients are listed.

Taiwan**Taiwan Chemical Substance Inventory (TSCI):**

All ingredients are listed.

16 Other information

Safety Data Sheet

Effective date: 4/8/2022

CBC 6 Segmental Epoxy 'Slow-Set' 40°F-75°F , B Component

Abbreviations and Acronyms: None

Manufacturer Statement:

This product has been classified in accordance within GHS guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 3-1-0

HMIS: 3-1-0